JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 399 (1990)

AUTHOR INDEX

Albrecht, R., (399) 163
Alt, H.G., (399) 83, 125, 131
Arya, P., (399) 11

Balegroune, F., (399) 349
Beringhelli, T., (399) 291
Bitterer, F., (399) C4
Blackett, S.J., (399) 215
Böhme, P., (399) 327
Bowen Jones, J., (399) 215
Brauer, D.J., (399) C4
Brown, D.S., (399) 215

Chaminant, F., (399) 317
Choukroun, R., (399) C1
Ciani, G., (399) 291
Clegg, W., (399) C21
Compton, N.A., (399) C21
Conroy-Lewis, F.M., (399) 307
Corey, E.R., (399) 221
Corey, J.Y., (399) 221
Corriu, J.P., (399) 11

D'Alfonso, G., (399) 291
Dartmann, M., (399) 189
Delavaux-Nicot, B., (399) 77
Dörrenbach, F., (399) C4
Dräger, M., (399) 63

Englert, U., (399) 35
Ephritikhine, M., (399) 77
Erker, G., (399) C1
Errington, R.J., (399) C21

Fischer, H., (399) 153
Fisher, G.A., (399) C21
Freni, M., (399) 291

Gehrke, J.-P., (399) 327
Gervais, D., (399) C1
Goh, L.Y., (399) 115
Grandjean, D., (399) 349
Grobe, J., (399) 189
Gruselle, M., (399) 317
Gupta, K., (399) 11

Han, J.S., (399) 131
Hassler, K., (399) C18
Herberich, G.E., (399) 35
Herrmann, G.S., (399) 83
Hoeveler, M., (399) 35
Hofmann, J., (399) 153
Hogarth, G., (399) 149
Horchler, K., (399) 1
Hou, Z., (399) 103
Huttner, G., (399) 255, 267, 281
Hwu, J.-M., (399) 141
Hwu, J.R., (399) C13

Imhof, W., (399) 281
Ingold, F., (399) 349
Ishikawa, M., (399) 205
Isobe, K., (399) 199

Jaouen, G., (399) 317
Jeong, J.H., (399) 235
John, C.S., (399) 221
Jung, O.-S., (399) 235

Kakimoto, N., (399) 47
Katzenbeisser, U., (399) C18
Kawata, S., (399) 301
Khoo, S.K., (399) 115
Khoudary, K.P., (399) C13
Konidaris, P.C., (399) 149
Krebs, B., (399) 189
Kunai, A., (399) 205
Kunicki, A.R., (399) 199

Lai, J.S., (399) 361
Lanneau, G.F., (399) 11
Le Van, D., (399) 189
Lim, Y.Y., (399) 115
Lin, I.J.B., (399) 361
Lin, Y., (399) 247
Liu, L.-K., (399) 361

Maisel, H.E., (399) 125, 131
Maitlis, P.M., (399) 199
Massey, A.G., (399) 215
Matt, D., (399) 349
Mochida, K., (399) 53
Moret, M., (399) 291
Mori, E., (399) 93
Mori, M., (399) 93
Motoyama, I., (399) 301

Nicholas, K.M., (399) 317
Nomura, Y., (399) 205
Norman, N.C., (399) C21

Ohshita, J., (399) 205
Osakada, K., (399) 341
Ozawa, Y., (399) 341

Philomin, V., (399) 317
Plappert, E.-C., (399) 153

Qi, M., (399) 247

Raoult, Y., (399) C1
Rath, N.P., (399) 221
Razavi, A., (399) 131
Redhouse, A.D., (399) 307

Sano, H., (399) 301
Savvopoulos, I., (399) 35
Schmidt, B.M., (399) 63
Shen, Q., (399) 235
Shibasaki, M., (399) 93
Simpson, S.J., (399) 307
Sironi, A., (399) 291
Sohn, Y.S., (399) 235
Stelzer, O., (399) C4
Stone, F.G.A., (399) 189
Strube, A., (399) 255, 267, 281
Szameitat, J., (399) 189

Takahashi, Y., (399) 47
Taube, R., (399) 327

Thewalt, U., (399) 83
Tozaki, E., (399) 205
Treier, K., (399) 153
Tsay, S.-C., (399) C13

Uozumi, Y., (399) 93
Van, D. Le, (399) 189

Wakasa, M., (399) 53
Wakatsuki, Y., (399) 103
Wang, Y.-P., (399) 141
Watanabe, M., (399) 301
Weiss, E., (399) 163
Wen, Y.S., (399) 361
Wiles, M.R., (399) 215
Wishart, N., (399) C21
Wrackmeyer, B., (399) 1, 125, 313

Yamamoto, A, (399) 341
Yamazaki, H., (399) 103
Yoneda, I., (399) 53
Yu, Z., (399) 11

Zsolnai, L., (399) 255, 267, 281

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 399 (1990)

SUBJECT INDEX

Antimony

η^3,η^2,η^2-Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

Bismuth

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

Boron

3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of $CH_3OOCCH_2CH_2Sn((pz)_3BH)X_2$ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Chromium

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

$(Cl)(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

$[(C_5Me_5)Cr(CO)_3]_2$ dimer, metal–metal bond dissociation in; equilibrium studies by NMR spectroscopy (L.Y. Goh, S.K. Khoo, Y.Y. Lim), (399) 115

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

Cobalt

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

(Propargylium)-$Co_2(CO)_6^+$ and -$(C_5H_5)_2Mo_2(CO)_4^+$, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317

Gadolinium

$\{Na(\mu_2\text{-}THF)[(C_5Me_5)Gd(THF)]_2(\mu_2\text{-}Cl)_3(\mu_3\text{-}Cl)_2\}_2\cdot 6THF$ monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

Germanium

Aryl-substituted trigermanes, photochemistry of; generation and mechanism of formation of germylenes (K. Mochida, I. Yoneda, M. Wakasa), (399) 53

Optically active germane carrying γ-butyrolactones, synthesis of (Y. Takahashi, N. Kakimoto), (399) 47

0022-328X/90/$03.50 © 1990 – Elsevier Sequoia S.A.

Iron

$(Cl)(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

$Fe_2(CO)_9$, reductive dehalogenation of bidentate halogen phosphines $RXP\text{–}CH_2\text{–}PXR$ by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4

Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

Lead

Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Manganese

Dimetallaarsacumulenium ions, preparation of arsinidene complexes from (A. Strube, G. Huttner, L. Zsolnai, W. Imhof), (399) 281

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

Metallocenes

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301

$(Cl)(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Titanocene-trifluoroacetato complexes; molecular structures of $[Cp_2Ti(OCOCF_3)]_2\mu\text{-}O$ and $Cp_2Ti(OCOCF_3)_2$ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

Molybdenum

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

Molybdenum(V), imido ligand exchange at (G. Hogarth, P.C. Konidaris), (399) 149

(Propargylium)-$Co_2(CO)_6^+$ and -$(C_5H_5)_2Mo_2(CO)_4^+$, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317

Nickel

η^3,η^2,η^2-Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205

Palladium

$(Me_3P)_2Pd_2(\mu\text{-}\eta^3\text{-}C_3H_5)(\mu\text{-}SPh)$, preparation by reaction of Pd(0) complex with allyl phenyl sulfide (K. Osakada, Y. Ozawa, A. Yamamoto), (399) 341

Palladium dichloride, reaction with $C_6H_5C{\equiv}CC_6F_5$; structure of the phenylbis(pentafluorophenyl)benzofulvene (S.J. Blackett, J. Bowen Jones, D.S. Brown, A.G. Massey, M.R. Wiles), (399) 215

Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of $[\{Ph_2PCH{=}C(O)Ph\}Pd(\mu\text{-}Ph_2PO)]_2$ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349

Phosphorus

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307

cis- and *trans*-$[(\eta^5\text{-}C_5H_5)W(CO)_2(H)PMe_3]$ half-sandwich complexes, one- and two-dimensional multinuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125

$[(\eta^5\text{-}C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5\text{-}C_5Me_5)]$, isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitat), (399) 189

$Fe_2(CO)_9$, reductive dehalogenation of bidentate halogen phosphines RXP–CH_2–PXR by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4

Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of $[\{Ph_2PCH{=}C(O)Ph\}Pd(\mu\text{-}Ph_2PO)]_2$ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349

$Pt(Ph_2PCH_2PPh_2)Cl_2$, phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound $[Pt_3(\mu_3\text{-}O)(\mu\text{-}\eta^2\text{-}PPh_2O)_3(PPh_2Me)_3]PF_6 \cdot CHCl_3$ (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361

Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

Platinum

$Pt(Ph_2PCH_2PPh_2)Cl_2$, phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound $[Pt_3(\mu_3\text{-}O)(\mu\text{-}\eta^2\text{-}PPh_2O)_3(PPh_2Me)d3]PF_6 \cdot CHCl_3$ (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361

Rhenium

Hydrido-carbonyl rhenium cluster chemistry, coordination and reduction of isocyanide ligands in; synthesis and characterization of the anion $[Re_3(\mu\text{-}H)_4(CO)_9(CNR)]^-$ and of the formimidoyl derivative $[Re_3(\mu\text{-}H)_3(CO)_9(\mu\text{-}\eta^2\text{-}C(H){=}NR)(PMe_2Ph)]^-$ ($R = C_6H_{11}$) (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (399) 291

Rhodium

$[(\eta^5\text{-}C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5\text{-}C_5Me_5)]$, isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitat), (399) 189

Di-μ-iododi-η^1-methylbis(η^5-pentamethylcyclopentadienylrhodium) and related complexes (A.R. Kunicki, K. Isobe, P.M. Maitlis), (399) 199

Hexarhodium hexadecacarbonyl, diene derivatives of; molecular structures of $Rh_6(CO)_{14}(\eta^4\text{-}CH_2C(Me)C(Me)CH_2)$ and $Rh_6(CO)_{12}(\eta^4\text{-}CH_2C(Me)C(Me)CH_2)_2$, and their substitution reactions with bis(diphenylphosphino)methane (Z. Hou, Y. Wakatsuki, H. Yamazaki), (399) 103

Ruthenium

Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307

Silicon

Bis(bis(trimethylsilyl)phosphino)silane $[(Me_3Si)_2P]_2SiH_2$ and 1,2-bis(bis(trimethylsilyl)phosphino)disilane $[(Me_3Si)_2PSiH_2]_2$ (K. Hassler, U. Katzenbeisser), (399) C18

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

N-Methyl-*N*,*O*-bis(trimethylsilyl)hydroxylamine bulky proton-containing reagent, selectivity in the formation of nitrones (J.R. Hwu, K.P. Khoudary, S.-C. Tsay), (399) C13

Pentacoordinated 1,3,2-dioxosilaheterocyles, synthesis of (P. Arya, R.J.P. Corriu, K. Gupta, G.F. Lanneau, Z. Yu), (399) 11

2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Spirocyclic pseudosilatranes, synthesis and spectroscopic and structural studies of (J.Y. Corey, N.P. Rath, C.S. John, E.R. Corey), (399) 221

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Transition metal stabilised As^{I} and Sb^{I} chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

Sodium

$\{Na(\mu_2\text{-THF})[(C_5Me_5)Gd(THF)]_2(\mu_2\text{-Cl})_3(\mu_3\text{-Cl})_2\}_2 \cdot 6THF$ monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

Tantalum

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Tin

Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63

3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of $CH_3OOCCH_2CH_2Sn((pz)_3BH)X_2$ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Titanium

Titanium-isocyanate complex, use in lactam synthesis by nitrogenation of enol lactones (Y. Uozumi, E. Mori, M. Mori, M. Shibasaki), (399) 93

Titanocene-trifluoroacetato complexes; molecular structures of $[Cp_2Ti(OCOCF_3)]_2\mu$-O and $Cp_2Ti(OCOCF_3)_2$ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

Tungsten

Benzylidene(pentacarbonyl)wolfram, 1,4-insertion of a 1,4-diazabutadiene into the C–H bond of (H. Fischer, K. Treier, E.-C. Plappert, J. Hofmann), (399) 153

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

cis- and *trans*-$[(\eta^5\text{-}C_5H_5)W(CO)_2(H)PMe_3]$ half-sandwich complexes, one- and two-dimensional multinuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125

Uranium

Monocyclopentadienyl uranium alkoxides, synthesis by alcoholysis of triscyclopentadienyl uranium chlorides (B. Delavaux-Nicot, M. Ephritikhine), (399) 77

Zirconium

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1